

ACCEPTED FOR REGISTRATION ONLY IN CONJUNCTION WITH NEW YORK STATE SPECIFIC SUPPLEMENTAL LABELING SLN NY- 120006

BLIT IT -	12000
April 23,	2018

New York State Department of Environmental Conservation Division of Materials Management Pesticide Product Registration Section

## Sonar® Genesis, 67690-54

**Supplemental Label** 

Classified for
 CEPA Reg. No. 67690-54
 Classified for
 "RESTRICTED USE"
 in New York State
 under 6NYCRR Part 326

Aquatic Herbicide

Sonar<sup>®</sup> Genesis

This supplemental labeling in addition to the product label or the container must be in the possession of the user at the time of application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use of Sonar Genesis according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Sonar Genesis.

Read the entire label affixed to the container and supplemental label before applying.

This supplemental label expires on May 15, 2020 and must not be used or distributed after this date.

Attention: the updated label language includes the following Use Restrictions and Precautions:

## **Use Restrictions**

- **Obtain Required Permits:** Consult with appropriate state or local pesticide and/or water authorities before applying this product in or around public waters. Permits and posting or treatment notification may be required by state or local public agencies.
- **Chemigation:** Do not apply this product through any type of irrigation system.
- **Hydroponic Farming:** Do not use water from a Sonar-treated area for hydroponic farming unless one of the following has been verified for the relevant active water intake and its withdrawal of surface water:
  - o A FasTEST has been run and the concentration in water at the intake is less than 1 ppb; or
  - A filtration or water treatment process following water intake has been verified analytically to reduce the concentration in potential irrigation water below 1 ppb.
- **Greenhouse and Nursery Plants:** Do not use water from a Sonar-treated area for greenhouse and nursery irrigation unless one of the following has been verified for the relevant active water intake and its withdrawal of surface water:
  - For the irrigation of woody ornamental plants, a FasTEST has been run and the concentration at the intake is less than 5 ppb; or
  - For the irrigation of other greenhouse or nursery plants, the concentration is confirmed less than 1 ppb; or
  - A filtration or water treatment process following water intake has been verified analytically to reduce the concentration in potential irrigation water below either the 1 or 5 ppb levels cited above.
- Water Use Restrictions Following Applications With Sonar Genesis (Days)

Application Rate	Drinking <sup>†</sup>	Fishing	Swimming	Livestock/Pet Consumption	Irrigation <sup>††</sup>
Maximum Rate (150	0	0	0	0	See irrigation instructions
ppb) or less					below

<sup>+</sup> Note below, under *Potable Water Intakes*, the information for application of this product within ¼ mile (1,320 feet) of a functioning potable water intake.

<sup>++</sup> Note below, under *Irrigation*, specific time frames or fluridone concentrations that provide the widest safety margin for irrigating with treated water.

Potable Water Intakes: In lakes and reservoirs or other sources of potable water, <u>do not apply</u> this product at application rates greater than 20 ppb within one-fourth mile (1,320 feet) of any functioning potable water intake. At application rates of 4 to 20 ppb, this product <u>may be applied</u> where functioning potable water intakes are present. NOTE: Existing potable water intakes which are no longer in use, such as those replaced by potable water wells or connections to a municipal water system, are not considered to be functioning potable water intakes.

## **Use Precautions**

• **Irrigation:** Irrigation from area treated with this product may result in injury to the irrigated vegetation. Follow these precautions and inform those who irrigate from areas treated with this product of the irrigation time frames or FasTEST requirements presented in the table below. Follow the following time frames and assay directions to reduce the potential for injury to vegetation irrigated with treated water. Greater potential for crop injury occurs where treated water is applied to crops grown on low organic and sandy soils.

	DAYS AFTER APPLICATION			
Application Site	Established Tree Crops	Established Row Crops/ Turf/Plants	Newly Seeded Crops/Seedbeds or Areas to be Planted Including Overseeded Golf Course Greens	
	Thee crops			
Ponds and Static Canals <sup>†</sup>	7	30	Assay required	
	1		Assay required	
Canals	7	14	Assay required	
	7 7 7 7			

<sup>†</sup> For purposes of this labeling, a pond is defined as a body of water 10 acres or less in size. A lake or reservoir is greater than 10 acres.

<sup>++</sup> In lakes and reservoirs where one-half or greater of the body of water is treated, use the pond and static canal irrigation precautions. When applying this product to exposed sediments of aquatic sites such as lakes and reservoirs, follow these time frames prior to using water for irrigation once sites are reflooded.

\*\*\* When this product is applied to exposed sediments of dry or de-watered irrigation canals, treatments must be made at least 2 weeks prior to when the canals are to be refilled, and allow canals to refill for a minimum of 24 hours before using water for irrigation.

Where the use of Sonar Genesis treated water is desired for irrigating crops prior to the time frames established above, the use of FasTEST analysis is recommended to measure the concentration of fluridone in the treated water. Where a FasTEST has determined that the fluridone concentrations are less than 10 parts per billion, there are no irrigation precautions for irrigating established tree crops, plants, row crops or turf. For tobacco, tomatoes, peppers or other plants within the Solanaceae Family and newly seeded crops or newly seeded grasses such as overseeded golf course greens, do not use treated water if measured fluridone concentrations are greater than 5 ppb. Furthermore, when rotating crops, do not plant members of the Solanaceae family in land that has been previously irrigated with fluridone concentrations in excess of 5 ppb in the previous year without direct consultation with a SePRO Aquatic Specialist. It is recommended that a SePRO Aquatic Specialist be consulted prior to commencing irrigation of these sites.

<sup>©</sup>Copyright 2017 SePRO Corporation Sonar is a registered trademark of SePRO Corporation FPL20170208 SePRO Corporation 11550 North Meridian Street, Suite 600, Carmel, IN 46032